

DRAWING NOTES:

1. FOR SYMBOLS & ABBREVIATIONS SEE DETAIL SHEETS.
2. ALL CONCEALED PIPEWORK TO BE INSULATED EXCEPT BRANCH RUNOUTS TO FITTINGS AT LOW LEVEL.
3. THE CONTRACTOR SHALL INCLUDE FOR FINAL CONNECTIONS TO ALL SANITARY FITTINGS.
4. STOP COCKS SHALL BE PROVIDED TO ISOLATE FITTINGS &/OR GROUPS OF FITTINGS.
5. PROVIDE MANUAL AIR VENTS AT ALL HIGH POINTS. PIPEWORK TO BE GRADED TO FALL MINIMUM GRADIENT 1:300.
6. PROVIDE DRAINS AT ALL LOW POINTS.
7. INTUMESCENT FIRE BARRIER PUTTY TO BE FITTED BETWEEN PIPES & PIPE SLEEVES ON ALL PIPEWORK PASSING THROUGH WALLS &/OR FLOORS.
8. ARCHITECTS DRAWINGS MUST BE REFERRED TO FOR EXACT POSITION OF ALL EQUIPMENT & SANITARY WARE.
9. ALL HORIZONTAL & VERTICAL PIPEWORK TO BE CONCEALED IN PARTITION.
10. PIPEWORK MAY BE INSTALLED IN CONTINUOUS INSULATED COPPER WITH BRACKETS AT 1200mm MAXIMUM SPACING.
11. RAINWATER PIPEWORK IN OPEN PLAN CARPARK SERVING BIB TAPS TO BE TRACE HEATED.

TYPICAL WATER SERVICES CONNECTIONS:

WC	: 15mmØ - RWS
WHB	: 15mmØ - H/CWS
SINK	: 22mmØ - H/CWS
SHOWER	: 22mmØ - H/CWS
BATH	: 22mmØ - H/CWS
DISHWASHER	: 15mmØ - CWS
WASHING MC	: 15mmØ - CWS
URINAL	: 15mmØ - RWS



00 - GROUND FLOOR EMERALD CHAMBERS & INDEPENDENT HOUSE - WATER
1 : 100

KEYPLAN
N.T.S.

- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY.
- NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

Rev No.	Date	Revision Note	Drn by	Chkd by
P01	20.02.25	SUITABLE FOR INFORMATION	T.S.	B.F.



OCSC
O'CONNOR • SUTTON • CRONIN
MULTIDISCIPLINARY CONSULTING ENGINEERS

Civil / Structural / Environmental / Mechanical / Electrical / Sustainability


Dublin Office: 9 Prussia Street, Dublin 7, D07 KT57.

Tel: +353 (0)1 8682000 Web: www.ocsc.ie
Dublin • London • Belfast • Galway • Cork • Birmingham


Client: SUMMIX IHD DEVELOPMENTS LIMITED
Project: INDEPENDENT HOUSE STUDENT ACCOMMODATION
90 MIDDLE ABBEY ST., DUBLIN 1, IRELAND

Title: MECHANICAL
WATER SERVICES INSTALATION
GROUND FLOOR PLAN

Code | Originator | Zone | Level | Type | Role | Number | Status | Revision
IHS - OCSC - XX - GF - DR - M - 3001 | S0 | P01
Date: 13.02.25 Scale: As indicated @ A1 Drn by: TS Chkd by: BF Aprvd by: BF



FIRST FLOOR CORRIDOR SECTION DETAIL - EMERALD CHAMBERS
1 : 50



FIRST FLOOR CORRIDOR SECTION DETAIL - INDEPENDENT HOUSE
1 : 50

DRAWING NOTES:


1. FOR SYMBOLS & ABBREVIATIONS SEE DETAIL SHEETS.
2. ALL CONCEALED PIPEWORK TO BE INSULATED EXCEPT BRANCH RUNOUTS TO FITTINGS AT LOW LEVEL.
3. THE CONTRACTOR SHALL INCLUDE FOR FINAL CONNECTIONS TO ALL SANITARY FITTINGS.
4. STOP COCKS SHALL BE PROVIDED TO ISOLATE FITTINGS &/OR GROUPS OF FITTINGS.
5. PROVIDE MANUAL AIR VENTS AT ALL HIGH POINTS. PIPEWORK TO BE GRADED TO FALL MINIMUM GRADIENT 1:300.
6. PROVIDE DRAINS AT ALL LOW POINTS.
7. INTUMESCENT FIRE BARRIER PUTTY TO BE FITTED BETWEEN PIPES & PIPE SLEEVES ON ALL PIPEWORK PASSING THROUGH WALLS &/OR FLOORS.
8. ARCHITECTS DRAWINGS MUST BE REFERRED TO FOR EXACT POSITION OF ALL EQUIPMENT & SANITARY WARE.
9. ALL HORIZONTAL & VERTICAL PIPEWORK TO BE CONCEALED IN PARTITION.
10. PIPEWORK MAY BE INSTALLED IN CONTINUOUS INSULATED COPPER WITH BRACKETS AT 1200mm MAXIMUM SPACING.
11. RAINWATER PIPEWORK IN OPEN PLAN CARPARK SERVING BIB TAPS TO BE TRACE HEATED.

TYPICAL WATER SERVICES CONNECTIONS:

WC	: 15mmØ - RWS
WHB	: 15mmØ - H/CWS
SINK	: 22mmØ - H/CWS
SHOWER	: 22mmØ - H/CWS
BATH	: 22mmØ - H/CWS
DISHWASHER	: 15mmØ - CWS
WASHING MC	: 15mmØ - CWS
URINAL	: 15mmØ - RWS



01 - FIRST FLOOR EMERALD CHAMBERS & INDEPENDENT HOUSE - WATER
1 : 100



KEYPLAN
N.T.S.

- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY.
- NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

Rev No.	Date	Revision Note	Drn by	Chkd by
P01	20.02.25	SUITABLE FOR INFORMATION	T.S.	B.F.



OCSC
O'CONNOR * SUTTON * CRONIN
MULTIDISCIPLINARY CONSULTING ENGINEERS
Civil / Structural / Environmental / Mechanical / Electrical / Sustainability
Dublin Office: 9 Prussia Street, Dublin 7, D07 KT57.
Tel: +353 (0)1 8682000 Web: www.ocsc.ie
Dublin • London • Belfast • Galway • Cork • Birmingham


Client: SUMMIX IHD DEVELOPMENTS LIMITED
Project: INDEPENDENT HOUSE STUDENT ACCOMMODATION
90 MIDDLE ABBEY ST., DUBLIN 1, IRELAND
Title: MECHANICAL
WATER SERVICES INSTALATION
FIRST FLOOR PLAN
Code | Originator | Zone | Level | Type | Role | Number | Status | Revision
IHS - OCSC - XX - 01 - DR - M - 3002 | S0 | P01
Date: 13.02.25 Scale: As indicated @ A1 Drn by: TS Chkd by: BF Aprvd by: BF

DRAWING NOTES:

1. FOR SYMBOLS & ABBREVIATIONS SEE DETAIL SHEETS.
2. ALL CONCEALED PIPEWORK TO BE INSULATED EXCEPT BRANCH RUNOUTS TO FITTINGS AT LOW LEVEL.
3. THE CONTRACTOR SHALL INCLUDE FOR FINAL CONNECTIONS TO ALL SANITARY FITTINGS.
4. STOP COCKS SHALL BE PROVIDED TO ISOLATE FITTINGS &/OR GROUPS OF FITTINGS.
5. PROVIDE MANUAL AIR VENTS AT ALL HIGH POINTS. PIPEWORK TO BE GRADED TO FALL. MINIMUM GRADIENT 1:300.
6. PROVIDE DRAINS AT ALL LOW POINTS.
7. INTUMESCENT FIRE BARRIER PUTTY TO BE FITTED BETWEEN PIPES & PIPE SLEEVES ON ALL PIPEWORK PASSING THROUGH WALLS &/OR FLOORS.
8. ARCHITECTS DRAWINGS MUST BE REFERRED TO FOR EXACT POSITION OF ALL EQUIPMENT & SANITARY WARE.
9. ALL HORIZONTAL & VERTICAL PIPEWORK TO BE CONCEALED IN PARTITION.
10. PIPEWORK MAY BE INSTALLED IN CONTINUOUS INSULATED COPPER WITH BRACKETS AT 1200mm MAXIMUM SPACING.
11. RAINWATER PIPEWORK IN OPEN PLAN CARPARK SERVING BIB TAPS TO BE TRACE HEATED.

TYPICAL WATER SERVICES CONNECTIONS:

WC	: 15mmØ - RWS
WHB	: 15mmØ - H/CWS
SINK	: 22mmØ - H/CWS
SHOWER	: 22mmØ - H/CWS
BATH	: 22mmØ - H/CWS
DISHWASHER	: 15mmØ - CWS
WASHING MC	: 15mmØ - CWS
URINAL	: 15mmØ - RWS



KEYPLAN
N.T.S.

- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY.
- NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

Rev No.	Date	Revision Note	Drn by	Chkd by
P01	20.02.25	SUITABLE FOR INFORMATION	T.S.	B.F.



OCSC
O'CONNOR • SUTTON • CRONIN
MULTIDISCIPLINARY CONSULTING ENGINEERS

Civil / Structural / Environmental / Mechanical / Electrical / Sustainability
Dublin Office: 9 Prussia Street, Dublin 7, D07 KT57.

Tel: +353 (0)1 8682000 Web: www.ocsc.ie
Dublin • London • Belfast • Galway • Cork • Birmingham

Client: SUMMIX IHD DEVELOPMENTS LIMITED
Project: INDEPENDENT HOUSE STUDENT ACCOMMODATION
90 MIDDLE ABBEY ST., DUBLIN 1, IRELAND

Title: MECHANICAL
WATER SERVICES INSTALATION
BASEMENT FLOOR PLAN

Code | Originator | Zone | Level | Type | Role | Number | Status | Revision
IHS - OCSC - XX - B1 - DR - M - 3000 | S0 | P01
Date: 13.02.25 Scale: As indicated @ A1 Drn by: TS Chkd by: BF Aprvd by: BF